

INDUSTRY 4.0

TECNOCAT WORK SERIES

XL2-600G | XL2-600G+EXTENSIONS

XL2-600G | XL2-600G+EXTENSIONS

WORK SERIES

XL2-600G



300 kg



50 kg



CAMERA



REMOTE CONTROL



LIGHT

XL2-600G+ EXTENSIONS







600 kg




64 kg


 OK
 0° - 360°
 0° - 60° - 90°
 36 L/min
 INDUSTRY 4.0

 60 W
 BATTERY CHARGE 220-240V AC 50-60 HZ
 OK - BATTERY 12V
 OK


XL2-600G - 300KG



XL2-600G+EXTENSIONS - 450KG



XL2-600G+EXTENSIONS - 600KG



INCLUDED

- FIXED HOLDING EXTENSION 2 SIZES

OPTIONAL

- **CM-VL** METAL BOX
- HYDRAULIC PISTON
- REMOTE CONTROL
- CAMERA
- LIGHT

PICTOGRAMS



ELECTRICAL POWER



NOMINAL ELECTRIC POWER



ENERGY AUTONOMY BY BATTERIES



PNEUMATIC SUPPLY



MAXIMUM LOAD CAPACITY



MAXIMUM LOAD CAPACITY ACCORDING EN-13155



TILTING EQUIPMENT



MANUALLY TILTING EQUIPMENT



PNEUMATIC TILTING EQUIPMENT



MOTORIZED TILTING EQUIPMENT



HYDRAULIC TILTING EQUIPMENT



ROTATION EQUIPMENT



MANUAL ROTATION EQUIPMENT



PNEUMATIC ROTATION EQUIPMENT



MOTORIZED ROTATION EQUIPMENT



HYDRAULIC ROTATION EQUIPMENT



EQUIPMENT WEIGHT



VACUUM SYSTEM AIR FLOW



PUSHBUTTON CABLE LENGTH



WIRELESS PUSHBUTTON



LOAD CAPACITY ACCORDING EN-13155



EQUIPMENT SUPPORT SYSTEM



LIFTING CRANE USABLE ROTATION



INDUSTRY 4.0